



PROMOTING HEALTH & AIR QUALITY





NASA Health & Air Quality Program Overview

John Haynes Program Manager

Health and Air Quality



Major Partners include International (e.g., GEO, WHO, UNICEF, PAHO), Federal (e.g., CDC, EPA, NIH, NOAA), State (e.g., South Dakota, California, Texas), and Private sectors (AER, Inc.).


- NASA's Health & Air Quality Applications Area supports the use of Earth observations in air quality management and public health, particularly regarding infectious disease and environmental health issues.
- The area promotes uses of Earth observing data and models regarding implementation of air quality standards, policy, and regulations for economic and human welfare.
- The area addresses issues of toxic and pathogenic exposure and health-related hazards and their effects for risk characterization and mitigation.
- The Health & Air Quality Applications Area also addresses
 effects of climate change on public health and air
 quality to support managers and policy makers in their
 planning and preparations.







Credits: NASA/Pablo Méndez-Lázaro




Forecasting Poor Air Quality Events in the Caribbean


Saharan dust storms crossing the Caribbean adversely impact air quality and human health. Robust research applied community and partnerships were developed in Puerto Rico to build an air quality forecasting tool that will inform policy decisions, educate the public on health risks related to dust storms, and safeguard population health.



Environmental Determinants of Gastrointestinal Diseases

Satellite observations of temperature, soil moisture, and precipitation have been used to understand global rates of gastrointestinal illnesses. Similar data are now being used to investigate potential environmental factors that may influence COVID-19 transmission.







Thank You.

For further questions, please contact: jhaynes@nasa.gov











NASA Earth Observations and Model Data Supporting Disease Surveillance

Assaf Anyamba
NASA Goddard Space Flight Center


& Universities Space Research Association




NASA Earth Observations and Model Data




MODIS Land Surface Temperature



Global Land Data Assimilation System (GLDAS): Soil Moisture




MODIS Vegetation Index



North American Multi-Model Ensemble (NMME) Rainfall Forecast




Building Integrated Disease Models: Chikungunya





Early Warning Capability

FORECAST CHIKUNGUNYA RISK, AUGUST 2021




- Defense Health
 Agency/ Armed
 Forces Health
 Surveillance Branch
 Global Emerging
 Infections
 Surveillance
 (AFHSB-GEIS)
- Pan-American
 Health Organization
 (PAHO)



Turning Data into Information Products


CHIKUNGUNYA BASELINE REPORT FREQUENCY: JULY-SEPTEMBER






Real Time Tracking for Situational Awareness

GEOGRAPHIC DISTRIBUTION OF CHIKUNGUNYA CASES: OCTOBER 2020 TO PRESENT






Building Publicly Accessible Applications




CHIKRisk App: https://vbd.usra.edu



Soil Moisture Anomalies and Disease Outbreaks



VBD Outbreaks May 2020 - April 2021




Soil Moisture Active Passive (SMAP)



Hot Summer 2021

NAm Land Surface Temperature Anomaly, MJJ 2021


Impact of increased temperatures on disease emergence 2012 – WNV Epidemic





Partnerships + Resources + Teamwork







WORLD ORGANISATION

FOR ANIMAL HEALTH



- NASA Applied Sciences Program Health and Air Quality (17-HAQ17-0065)
- NASA, Soil Moisture Active-Passive (SMAP) Mission Science Team (80NSSC21K0777)

GIMMS VBD Team

Dr. Assaf Anyamba, Jennifer Small, Bhaskar Bishnoi, Heidi Tubbs, Dr. Richard Damoah, Dr. Natalie Thomas Dr. Compton J. Tucker

Collaborators

USDA/ARS-CMAVE

Dr. Kenneth J. Linthicum Dr. Seth C.Britch

NOAA/CPC

Dr. Wassila Thiaw

PAHO

Dr. Ana Rivière Cinnamond

Dr. Stephanie Scholler Uz,
Applied Sciences Manager | Earth
Sciences
NASA Goddard Space Flight Center








Connecting Earth Observations to Emergency Department Visits following flooding

J Gohlke, B Ramesh, S Swarup, B Zaitchik



Flooded

Inundation Data from Dartmouth Flood Observatory


Can EO data improve health related responses during flooding events?

- Inundation and stream gauge data
- ED visit and syndromic surveillance during Harvey and Imelda
- CDC Social Vulnerability Index




Using EO to define spatiotemporal flooding extents during Hurricane Harvey (census tract) and Tropical Storm Imelda (ZCTA)


Hurricane Harvey (August 2017)




Tropical Storm Imelda (September 2019)




The CDC SVI is used to estimate the amount of needed supplies, locations of emergency shelters, assisted evacuations, and support response



ED visits for pregnancy complications, intestinal infections, insect bites were elevated following Hurricane Harvey







Flood Period Post Flood 1 Post Flood 2




Tropical Storm Imelda: similar increases in cause-specific ED visits, particularly in highly flooded ZCTAs








Census tract CDC SVI modifies the effect between flooding and ED visits








Conclusions and Next Steps

Synthetic population of Harris County, TX compared to CDC SVI









EO data can be used to improve characterization of flood-related health outcomes when combined with healthcare visit data

Next steps

- Exposures beyond the home census tract or ZCTA can be modeled via a synthetic population to further refine exposures.
- Inundation data could be incorporated into real-time syndromic surveillance systems to improve situational awareness at health departments.







Yonkers Urban Development

Utilizing NASA Earth Observations to Identify Environmental and Social Drivers of Urban Heat Vulnerability and Model Urban Cooling Interventions in Yonkers, NY

Jillian Walechka*, Oded Holzinger* (Groundwork USA), Tanya Bils, Kathryn Greenler, Samain Sabrin, & Joseph Scarmuzza



Groundwork Hudson Valley creates sustainable environmental change in urban neighborhoods through community-based partnerships that promote equity, youth leadership, and economic opportunity.

Sustainability Education



Youth Leadership



Yonkers New York

City of Yonkers, New York

P, USGS, METI/NASA, NGA, EPA, USDA, OpenStreetMap

Population: 201K

contributers, FAO, NPS, AAFC, NRCan


Climate: Humid continental hot summers

Sources: County of Westchester, Esri, HERE, Garmin, INCREMENT

- 35% Hispanic/Latino
- Founded in 1646, grew from farming village around Saw Mill River

Climate Resilience








CLIMATE SAFE NEIGHBORHOODS




Methodology: Overview





Results: Heat Vulnerability Index + Proximity Analysis



Over 50% no college


Over 35% not U.S.-born

High population densities

High rates of renters



Results: InVEST Model Heat Mitigation



Scenario


Less

mitigation

31

Greater

mitigation



Acknowledgements


A special thank you to our Science Advisors, Mentors and Fellow for their direction and support:

- Dr. David Hondula (Arizona State University, Associate Professor)
- Dr. Kenton Ross (NASA Langley Research Center)
- Lauren Childs-Gleason (NASA Langley Research Center)
- Ryan Hammock (NASA DEVELOP, Fellow/Lead)

We would also like to thank our wonderful project partner and collaborator at Groundwork USA, Groundwork Hudson Valley:

Oded Holzinger, Climate Resilience Manager of Groundwork Hudson Valley







Air Quality Monitoring & Forecasting in Thailand

Pawan Gupta (USRA/MSFC)


pawan.gupta@nasa.gov

SERVIR focuses on countries in Asia, Africa, & the Americas




Air Quality Monitoring in Thailand

- The Royal Thai Pollution Control Department monitor air quality in Thailand from over 60+ stations.
- The major sources include fossil fuel burning, roadside dust, seasonal biomass burning and transboundary pollution
- PCD have limited or no forecasting capabilities for the region.
- NASA SERVIR in partnership with PCD and GISTDA started air quality research and co-development in 2019.







Air Quality Explorer (Service) For Thailand




Forecasting Framework




Air Quality Event Example (Feb 18, 2021)



Suomi-NPP VIIRS, RGB



Suomi-NPP VIIRS, Fires




Suomi-NPP VIIRS, Smoke Mask

Air Quality Explorer Contract Tonkin C

GEOS-FP + MLA - PM2.5

Real Time Validation and Other Applications

Forecast is initiated on Feb 18th



Real-time Validation with Ground Measurement

Burn Check Phone App







AQE Launch


- The air quality explorer tool is launched and adopted by Thai Pollution Control Department as their official air quality forecasting in November 2020.
- The event was widely covered by Thai and international media
- SERVIR SCO continue to work with partners to improve the application including spatial resolution, accuracy and expanding domain to track transboundary pollution.
- Regular capacity building and enduser engagement activities are held in the region







Research to Application



- ✓ Research This effort was funded (PI Gupta) through NASA's Research Opportunities in Space and Earth Science (ROSES-2017) Program Element A.37: "The Science of NASA's Terra, Aqua, and Suomi NPP.
- ✓ Scaling We took research and data developed under this project over India and scaled the approach over Thailand in partnership with NASA SERVIR and Thai Pollution Control Department

Special thanks to SERVIR SCO Team
(Githika Tondapu, Amanda Markert,
Francisco Delgao), SERVIR Mekong, and
PCD teams








NASA HAQAST

Dr. Tracey Holloway

EARTH SCIENCE APPLICATIONS WEEK 2021



Overview of NASA HAQAST

The NASA Health and Air Quality Applied Sciences Team


3rd Generation; 2021-2025

Tracey Holloway, Team Lead, University of Wisconsin—Madison

What is "hay-kast"?

- Health and Air Quality Applied Sciences Team
- NASA-funded Applied Sciences Team
- 4 year initiative through 2025
- 14 Members and 70+ co-investigators
- Mission: Connect NASA science with air quality and health applications
- ~ \$12+ Million Total Cost
- Three types of work:
 - Member projects
 - Tiger team projects (collaborative)
 - Outreach, engagement, rapid response





HAQAST1: 20116



HAQAST2: 2016-2020

HAQAST3: 2021-2025

The team structure fundamentally changes outcomes.

- Increased visibility of work and resources to end-users
- Culture to support and promote collaborations and synergies
- Growth of two-way dialogue
- Increased collaborations to meet stakeholder needs
- Rapid spin-up of high-value activities



HAQAST Supports Two Types of Projects: Individual & Tiger Team
































14 NASA Health and Air Quality Applied Sciences Team Members (HAQAST)

Tracey Holloway (Team Lead, UW-Madison)
Susan Anenberg (George Washington University)
Bryan Duncan (NASA GSFC)
Arlene Fiore (Columbia University)
Pawan Gupta (Universities Space Research Association)
Yang Liu (Emory University)
Jingqiu Mao (University of Alaska, Fairbanks)
Randall Martin (Washington University)

Ted Russell (Georgia Tech)

Jeffrey Pierce (Colorado State University)

Amber Soja (National Institute of Aerospace)

Daniel Tong (George Mason University)

Christopher Uejio (Florida State University)


Qian Xiao (University of Texas Health Science Center at

Houston)









COLLECTIONS V AUTHORS V **CURRENT ISSUE** ARCHIVES

Open Access

Research Letter Vol. 129, No. 8

The Association between Outdoor Artificial Light at Night and Breast Cancer Risk in Black and White Women in the Southern Community Cohort Study

Qian Xiao 🖂, Gretchen L. Gierach, Cici Bauer, William J. Blot, Peter James, and Rena R. Jones

Published: 11 August 2021 | CID: 087701 | https://doi.org/10.1289/EHP9381

Image: NASA Earth Observatory

"Our findings extend prior work [attributing breast cancer risk to light at night] by characterizing this relationship among both Blacks and Whites in a large cohort of women recruited from disadvantaged communities."



GeoHealth

Research Article 🙃 Open Access 😊 🛈 😑 💲

Differential Cardiopulmonary Health Impacts of Local and Long-Range Transport of Wildfire Smoke

Sheryl Magzamen ⋈, Ryan W. Gan, Jingyang Liu, Katelyn O'Dell, Bonne Ford, Kevin Berg, Kirk Bol, Ander Wilson, Emily V. Fischer, Jeffrey R. Pierce

Research Article 🖸 Open Access 😊 🛈 😑 💲

Associations Between Wildfire-Related $PM_{2.5}$ and Intensive Care Unit Admissions in the United States, 2006–2015


Cecilia Sorensen, John A. House, Katelyn O'Dell, Steven J. Brey, Bonne Ford, Jeffrey R. Pierce, Emily V. Fischer, Jay Lemery, James L. Crooks

Image: USGS

Smoke from 900 miles away can still be harmful to human health

Air quality in Philly reaches unhealthy levels thanks to wildfires out west

"To our knowledge, this is the first paper to investigate health effects of both longrange transport and local [wildfire smoke], as well as the first to demonstrate a [wildfire smoke]-related mortality effect in the U.S."





RESEARCH ARTICLE




COVID-19 pandemic reveals persistent disparities in nitrogen dioxide pollution


- Daniel L. Goldberg, and Daniel L. Goldberg, and Daniel C. Anenberg
- + See all authors and affiliations

"marginalized communities continued to face higher levels of NO₂ during the lockdowns than nonmarginalized communities experienced prior to the pandemic"

Annual Average NO₂ Concentration (ppb) (Year 2000 to 2019)



"[My group developed] a website for accessing air quality and disease burdens for ~13,000 cities worldwide, vhich I'm beta testing with a 'ange of stakeholders .. The PM and NO₂ estimates are derived from satellite observations" - Susan Anenberg



JGR Atmospheres

Satellite Formaldehyde to Support Model Evaluation

Monica Harkey¹, Tracey Holloway^{1,2}, Eliot J. Kim¹, Kirk R. Baker³, and Barron Henderson³


"Formaldehyde (HCHO), a known carcinogen classified as a hazardous pollutant... This work highlights the potential for ... modeling and satellite retrievals to support near-surface HCHO estimates for the [EPA's National Air Toxics Assessment] and other applications.

Image: NASA Earth Observatory



NASA HEALTH AND AIR QUALITY APPLIED SCIENCES TEAM

Connecting NASA Data and Tools with Health and Air Quality Stakeholders







THANKYOU!

EARTH SCIENCE APPLICATIONS WEEK 2021